

### '82 Ford Econoline

Branch Street

Part 27 and Translate Same of Cross on the same of the same from same from the same fr

The mean of the first and a second or make that they a partial entered to the first and the first an

the trape of residual 2 is regoing of the appropriate of the property of the appropriate of the appropriate

Manage Langton and Alaba Pa Performance - America Sold Adaptive in 1987

per control of the page of the

he delete to some to some your final Serples find to support furnished you hadon a the support furnished that the to find the support find to the final good on the pages took before.

Special retires better but to up his light. Never there to have Later popular back. Her manufact When Revenues there is not have

### Ford Econoline Vans/No. 1 Seller

Executions recording the companies of the companies and execution in the companies of the c

#### Alajani Staty-On-France Communities

Maly an invest any supergraphy graphy Grantikan mags — the first with shorp hall hard a sensor and the emission have been according to the same at my promotion to actionally have many promotions up they we have the driven and regarter the driven and regarresponses.

### Partie Baum Free

Description of the Control of Section 2 and Section 2 and

#### Old Provi Design

The first property of the control of

#### From Service Corner

The way or harmed single other or other produced for such Many servicing streeth are the Separate of their — 120 cache formations on a band to recombine another builds

#### Mary Print or the Confessor

to the to the state of the stat

### Paybed Capacity

periods large parties reported and appropriate who has been been fortunate from the period of the pe





# '82 Econoline XL

Econoline XL is a tough, hardworking van. But luxury touches like color-keyed corpeting and color-keyed front door trim panels with woodtone inserts and map packets assure that it's right at home after work, too. Outside, bright accents include hub caps, bumpers, mirrors, grille surround and windshield moldings, and tailiamp bezels (see pages 8 and 9 for standard features). Econoline XL includes all of the built-Ford-tough attributes of the standard van with eye-catching appointments to get you down the road in style. Distinction and comfort mark the Econoline XL for 1982.

Below: Econoline XL in Bittersweet Glow.



# '82 Econoline Standard Van

Hardworking Econoline. The standard Ford Econoline is the mainstay in thousands of important commercial, farm, personal and recreational applications all over the country. Rugged body-on-frame construction, Twin-I-Beam front suspension, out front design and Econoline's big payload capacity are appreciated by those who need real utility. Econoline's clean-lined styling is appreciated, too. Ford Econoline is a great value that includes an impressive list of standard features (see pages 8 and 9). It's America's truck. It's built Ford tough!

Below: Econoline Standard Van in Medium Grey Metallic with bodyside accent tape stripe in Copper.









# Versatile Econolines for Work or Play

## '82 Econoline Trailer Towing, Camper Conversions, Mini Motorhomes and Econoline Chassis

Econoline offers two Trailer Towing Packages for your hauling requirements when properly equipped. The Light Duty Package includes extra cooling, wiring harness and heavy-duty turn signal flasher. The Heavy Duty Package includes the Light Duty Package and: swing-out recreation mirrors, 60-cmp. alternator, 68-cmp.-hz battery, external oil cooler with SelectShift

ammeter and oil pressure gauges, and heavy-duty shock absorbers (std. with E-350).

For all kinds of outdoor fun, Econoline is the right place to start. The RV Cutaway chassis provides the framework for a Mini Motorhome that's both attractive and roomy. And long wheelbases with body-on-frame construction make Econoline on excellent choice for comper conversions.

For specialized job requirements, Econoline Chassis models mean real

versatility. Choices include the Commercial Cutaway Chassis, the Commercial Cutaway Chassis, the Com-mercial Stripped Chassis and complete Parcel Delivery Vans in 12- or 14-ft. lengths. Special Ambulance Body Builder Preparation and School Bus Body Builder Preparation Packages are also available. Consult the 1982 Ford Econoline Chassis catalog for details.

Left to right: Super Wagon XIT in Light Blue; Econoline XL Camper Conversion in Tu-Tone Candyapple Red/Wimbledon White; Econoline Mini Motorhome with owner-added stripes.

# CONOLINE TRIM: CONTENT

Indshield moiding Bright		Bright		
Hub Caps	Argent	Bright		
Steel Wheels	White	WYANA		
Bumpers	Argent	Bright		
Outside mirrors	Argent	Bright		
Bright teillemp bezels		Standard		
Bright grille aurround molding		Standard		
INTERIOR Vinyl seel trim	Standard	Standard		
Floor covering	Black insulated floor mat — rubber/vinyl (coverage depends on model)	Color-keyed carpeting (front only)		
White hardboard front headliner	Standard	Standard		
Color-keyed belts	Standard	Standard		
Instrument panel	Color-keyed ped, windshield and "A" pillar moldings; engine cover	Color-keyed pad, windshield and "A" pillar moldings; engine cover. Woodlone applique on instrument panel and steering wheel pad		
White pedded sun visors	Standard	Standard		
Color-keyed front door trim panels with woodtone inserts and map pockets		Standard		
Cigarette lighter	The same of the sa	Standard		

# Specifications:

EQUIPMENT		E-100	€-150	E-250	E-350		
Payload		See page 12					
GVWR lb. Regular Van Max.		5,600	6,300	7,500	9,500		
GVWR Ib. Super Van Max.		_	6.200	7,9001	9,300†		
Axie, Front: Rating (lb.)	Std.	3,400	3,400	4,000	4,200		
Axie, Reer: Rating (lb.)		3,750	3,750	5,300	6,340		
Brakes: Power		Std.	Std.	Std.	Std		
Clutch: Dis. (In.) - Area (In.)	Sld.	10-95.7	10-95.7	11—123.7	11-123.7		
Electrical: Battery (amp-hr.)	Std.	36	36	36 (45 Calif.)	36		
Battery (emp-hr.)	Opt.	68,81 (aux.)	68,81 (aux.)	68,61 (aux.)	68,81 (aux.)		
Alternator (amp.)	Std.	40	40	40	90		
Afternator (amp.)	Opt.	60,100	80,100	60,100	60,100		
Engine: Displacement (cu. in.)	Std.	4.9L (300) I-6	4.9L (300) 1-6	4.9L (300) I-8	4.9L (300) 1-8		
	Opt.	5.0L (302) V-8 5.8L (351) V-8†	5.0L (302) V-8 5.8L (351) V-8	5.0L (302) V-8 5.8L (351) V-8	5.8L (351) V-81 6.6L (400) V-85 7.5L (460) V-81		
Fuel Tanks gal. (iltera) Short wb.	Std.	18.0 (68)	18.0 (68)	-			
Long wb.	Std.	22.1 (84)	22.1 (64)	22.1 (84)	22.1 (84)		
Duel Tank Cap./Long wb. Opt.		40.1 (152)	40.1 (152)	40.1 (152)	40,1 (152)		
Shock Absorbers	Std.	Front and Rear	Front and Rear	Front and Rear	Front and Rear		
	Opt.	HD	HD	HD	-		
Springs, Front Coil	Std.	Computer Selected					
	Opt.	HD Coil	HD Coll	HD Coil	HD Coll		
Rear: Combined Rating @ Ground (lb.) Optional††		2,860 HD	3,770 HD	4,190 HD	5,530 HD		
Steering:	Std.	Recirculating Ball		Integral Power##	Integral Power§§		
	Opt.	Integral Power	Integral Power		_		
Transmission	Std.	3-Spd. Sync.	3-Spd. Sync.	3-Spd. Sync.†	3-Spd. Sync.		
	Opt	4-Spd. OD SelectShift Auto.	4-Spd. OD SeleciShift Auto.	SelectShift Auto.	SelectShift Auto.		
Wheels: Type — Rim Size	Std.	(5) 5-Hole — 5.5K	(4) 5-Hote 6.0K	(4) 8-Hole — 6.0	(4) 6-Hole — 8.75		
Tires: Tubelesse	Std.	P205/75R15SL	P225/75R15SL	6.00 x 18.5DTT	9.50 x 16.5DTT equate tires for loads ar		

type of service. Con E-150 and E-250.

TT = Truck Type, OD = Overdrive, SV = Super Ven. 1N.A. in Exel.

11 Available with selected Payload/GVWR packages (includes HD coil front springs if avail.) See your Ford Dealer. FCallf. only. \$1Power steering delete is available. Spare the included with E-100 Series only.

# **Options**

A Full Vanioad of **Extra Factory Features** 

For the Ford van of your choice, there is a wide selection of factory options that can multiply the usefulness and enjoyment of your vehicle many times over. Fordengineered, factory-installed and Fordwarranted - these options can also add to the trade-in value when it's time for a new Ford van. Go down this list and check off the options that will help you "create" a Ford von just right for your work or personal needs.

Appearance

☐ Bodyside accent tape stripe (page 7). ☐ Pin Stripe tape in Black, White or Gold.

Chrome crille.

Deluxe Accent Moldings (bright drip rail, center bodyside and lower character line moldings).

☐ Bright drip roils.

Bright window moldings.

Audio

There are many sound reasons why factory-installed Ford radios are great performers: a 100% solid state chassis for optimum operation, precision engineering, stringent Ford standards. A fixed-length stainless steel whip antenna for maximum reception. The fact that all stereo systems include two door-mounted speakers. And all Ford radios include traveler's advisory

AM radio.

☐ AM/FM monaural.

☐ AM/FM stereo (speakers in door panels). ☐ AM/FM stereo with cossette player (A).

☐ AM/FM stereo with 8-track tape (B).

☐ Premium Sound System, Includes power amplifier for speakers (with stereo radios only).

### Comfort/Convenience

Air Conditioning:

☐ Instrument panel unit for front seat area (C).


☐ High-capacity air conditioning com-

### Exterior Colors

Raven Black

Wimbledon White





Dark Silver Slue Metallic













\*Optional Glow colors. Printed colors are at best only representative of the true paints. Your Ford Dealer can show you actual samples of paint colors and also interior trim materials.

bines the instrument panel unit with an curiliary unit on the left sidewall to cool the entire van.

D Power door locks for all side doors (front doors only with hinged double side doors) (D).

Convenience Group with interval wipers, 12-in. day/night mirror, and visor vanity mirror - RH.

Electronic digital clock.

☐ Dome light courtesy switches for all doors.

Heaters:

High output. D Auxiliary for cargo area.

☐ Roof/Floor Insulation Package, Includes full-length insulated headliner and floor mat (curpeting with XL).

Deluxe Insulation Package.

☐ Light Group. Includes dual beam dome/ map light, headlights on buzzer, underhood light, and dome light switches on all doors.

Western mirrors, low-mount 9"x6" bright (with or without transer arm).

☐ Recreational mirrors, swing-out 6%"x9%" (E-350).

☐ Electric remote control mirrors. swingaway 7%"x5%" (F). ☐ Tilt steering wheel (E).

Control ☐ Tinted glass.

Speed



### **Tu-Tone Choices**

Combination Tu-Tone: accent color is applied on the roof and below the lower character line molding."

Center Accent fu-Tone: accent color is applied between upper and lower charocter line moldings."

Deluxe Accent Combination Tu-Tone: accent color is applied on the roof and between the upper and lower character line moldings."



☐ Privacy™ glass (regular finted glass in windshield and front doors). Privacy or

tinted gloss in reor doors. Swing-out or fixed windows are available in all cargo doors.

Single sliding cargo door in place of double doors (no extra cost). ☐ Two-stage door positioner for double. hinged rear doors.

Seats and Seat Trim

Combination seat/bed converts from a 3-passenger rear seat into a large 62'x72" bed in seconds.

Dual or Quad Captain's Chairs: reclining and swivel. Available in vinyl or cloth and vinyl trim.

☐ Passenger seat (matching driver's) includes RH armrest.

Performance

SelectShift automatic transmission. - 4-speed manual transmission with overdrive.

☐ Super Cooling Package. ☐ Extra Cooling Package.

Power steering (E-100/150).

☐ Handling Package (E-100 and E-150) includes front stabilizer bar, HD gas-filled hydraulic front and rear shock absorbers

and HD front springs.

C Front stabilizer har.

☐ Heavy-duty shock absorbers, front and rear (standard E-350).

C Engine block heater single 600 watt with Six or S.OL (302), dual with larger V-8s. Gauges: oil pressure gauge and

ammeter. ☐ Auxiliary fuel tank, 18-gallon (68 liters) (138-in, wheelbose).

Protection

☐ Step bumper, chrome (G) or argent. Chrome contour bumpers.

Dual horns.

☐ Protection Group: Includes black stepwell pads in front and sliding doors, front door edge guards. Front bumper guards also included on vehicles with chrome bumpers.

☐ Security Group with locking gas cap(s), inside locking hood release and spare tire lock.

Inside locking hood release.

Wheels and Wheel Covers

Cast aluminum wheels (4). Cast aluminum spare wheel also available (R).

☐ Sport wheel covers (4) (1).

Deluxe argent styled steel wheels (5) (1).

☐ Deluxe wheel covers (4) (K). ☐ Trailer Towing Packages (see page 8).


Options Availability

1982 Econoline options are not confined to these pages but are shown throughout the catalog. Options, whether or not they are identified, are offered at extra cost. Some options are included, required, or are not available, in combination with other options. Availability of some models and features described here and elsewhere may be subject to delay. Consult your Ford Dealer for the latest information.















# Payload Package Selector


Series	Paylond*	GVWR Ib.	Tires+	Engine	Transmission	Trim Level	
E-100 124° wb. □ 1,440 lb. □ 1,816 lb. □ 1,245 lb. □ 1,625 lb.		5,200 lb. P205/75R15SL P215/75R15SL P215/75R15SL P215/75R15SL P215/75R15SL		□4.9L (300) 1-6 (Std.) □5.0L (302) V-8 □5.8L (351) V-8**	□3-Spd_(Std.) □4-Spd_Manual Overdrive □SelectShift Automatic	OXL	
E-150 124" wb. 138" wb. SV 138" wb.	□2,235 lb. □2,570 lb. □1,945 lb. □2,380 lb.	5,950 lb. 6,300 lb. 5,850 lb. 6,300 lb.	P225/75R15SL P235/75R15XL P225/75R15SL P235/75R15XL P235/75R15XL	□4.9L (300) I-8 (8td.) □6.0L (302) V-8 □6.8L (351) V-8	□3-Spd. (Std.) □4-Spd. Manual Overdrive □SelectShift Automatic	□Std, □XL	
	□1,995 lb.	6,200 lb.	P235/75R15XL				
E-250 138" wb, SV 138" wb,"*	☐2,530 lb. ☐3,175 lb. ☐2,120 lb. ☐2,660 lb. ☐3,460 lb.	6,800 lb. 7,500 lb. 6,500 lb. 7,100 lb. 7,900 lb.	8.00 x 18.5D 8.75 x 18.5D 8.00 x 16.5D 8.00 x 16.5E 8.76 x 16.5E	□4.9L (300) I-6 (Std.) □5.0L (302) V-8 □5.8L (351) V-8	☐3-Spd. (Std.)** ☐SelectShift Automatic	□Std. □XL	
E-350 138" wb.	□4,110 lb. □5,005 lb. □4,395 lb. □4,435 lb.	8,550 fb. 9,500 fb. 9,000 fb. 9,300 fb.**	9.50 x 16.5E 9.50 x 16.5E 9.50 x 16.5E 9.50 x 16.5E	□4.9L (300) I-6 (Std.) □5.8L (351) V-8** □6.6L (400) V-8++ □7.5L (460) V-8**	□3-Spd. (Std.) □SelectShift Automatic	□Std. □XL	

\*Maximum allowable weight of people, cargo and equipment. \*\*N.A. In Calif. + Minimum tires required. ++ Calif. only SV-Super Van.





# **Dimensions**



### **ECONOLINE VANS**

SERIES	WB Empty	LH		AH	TW		Cargo
		Empty			Front	Rear	Volume*
E-100	124"	25_1"	79.1"	6.5"	69.4"	67.0"	252 cu. ft.
	138"	24.9"	79.1"	6.7"	69.4"	67.0"	295 cu. ft.
E-150	124"	27.5"	80,8"	6.8"	69.4"	67.0"	252 cu. ft.
	138"	27.8"	81.0"	7.1"	69.4"	67.0"	295 cu. ft.
Super Van	138"	27.6"	80.9"	7.1"	69.4"	67.0"	339 cu. ft.
E-250	138"	28.7"	82.6"	6.4"	68.4"	66.0"	295 cu. ft.
Super Van	138"	28.4"	82.4"	5.4"	68.4"	66.0"	339 cu. it.
E-350	138"	30.9"	84.3"	7.4"	68.4"	66.0"	295 cu. it.
Super Van	138"	32.4"	85.0"	7.4"	68,4"	66.0"	339 cu. ft.

W8 - Wheelbase LH - Load height OAH - Overall beight AH - Axie beight TW - Tread width

Maximum, without optional RH passenger seat

### '82 Ford Econoline

#### Parti First Reset Property offer Inc. Married Perford Committee that their remaining part

amount to reight on providing over of our the sector from property on wanted to park server out on the state of the emoning or in consistent smaller field From an was very wind our converse and up Name and Post of Local St. Physics College.

Topo code a new artestono program see year follows or fee forwards to however till

ON The opposite the ST ST. from the House, but officially 31, year or Committee of Association and Committee of the Committe

County Visal or Real Consequent and Service Supports

Per Street La GUY at a fatigate framework.

meter and make whole or pull or segment and waster yet here it not

Minds Georgia DH1 Bert men your more out only one

#### Terracularies masses.

Commercial epocarticity for Street, Square, and Street, Square, Sq Beering Schools, P. Williams and many named extension marine serial region w If him there was blanch which said the little metric reporting the assessmental state in and man wrong parties and Charle women Age on the same of the party of the letter Raft Erect on cours doctors for date use to The new sequences in the figure were

First on Learner, Married assemble None water of Name Inchessed Section Bull arent built impromotions for your server. or the reductional express in gree

This first out to or in 1 storage of the Joseph and Drawing and a discount Pay and in Terrestant LINE, NO. 1994.

O were fluid of had allerman has been brown. Per Disp. No. Wall! Live freue the

Will put you manual others per grifts on share unany han sales report for the first training parameters. ed or february franchis

#### Loweler Service Plan

Free Many Harmonia opposed Description Burner Disc served made over present to new Ford Expension Raise Florida in min. manager of the San particular to the get East of so to you the freed has been fitted gray to wal-Was first finales and in many or got. per warmen details of the Poor where or PROVIDE BETTER BY BY THE WAR IN of I'M Trainer Press, and Country

the agreement has providing from the comment that again it. Married Street Street Street, Street Street, S Street water, majorie o deal electronic par a cracinar are discount facilities where ment on her Bellinie

Name of the Association or option on the authority and to contract of the time because of the

### Maryusani



Huy or lease a new Ford Econoline Vena great choice either way!

Relimpered Park Designation of the last of the personal Field Personal per Part Land

### FORD ECONOLINE VANS



